INDEX TO VOLUME 24—1982

Index to Authors and Contributors

BISHOP, R. E. D. *Paper* On the possibility of balancing rotating flexible shafts, 215
BURDEKIN, M. *Paper* The measurement of dynamic cutting force data and its application to the prediction of chatter, 139

CARVER, M. B. *Research note* A method of limiting intermediate values of volume fraction in iterative two-fluid computations, 221
CHAKRABORTY, S. *Paper* Parametric instability of tapered beams by finite element method, 205
CLARK, R. A. *Paper* An investigation into the dynamic effects of railway vehicles running on corrugated rails, 65

DATTA, P. K. *Paper* Parametric instability of tapered beams by finite element method, 205
DEAN, P. A. *Paper* An investigation into the dynamic effects of railway vehicles running on corrugated rails, 65
DOGAN, M. *Paper* Investigation of a roller bearing assembly incorporating a squeeze-film damper bearing, 129
DOWSON, D. *Paper* The prediction of film thickness in a mechanical face seal with circumferential waviness on both the face and the seat, 37

ELKINS, J. A. *Paper* An investigation into the dynamic effects of railway vehicles running on corrugated rails, 65

GHOSH, S. K. *Paper* The normal impact of square section long rods on 'rigid' and 'soft' targets, 31
GOHAR, R. *Paper* Oil film thickness and pressure distribution in elastohydrodynamic point contacts, 173
GRASSIE, S. L. *Papers* The behaviour of railway wheelsets and track at high frequencies of excitation, 103. The dynamic response of railway track to high frequency lateral excitation, 91. The dynamic response of railway track to high frequency longitudinal excitation, 97. The dynamic response of railway track to high frequency vertical excitation, 77
GREENBERG, M. D. *Research note* Dynamic stability of wave-convection transport, 225
GREGORY, R. W. *Papers* The behaviour of railway wheelsets and track at high frequencies of excitation, 103. The dynamic response of railway track to high frequency lateral excitation, 91. The dynamic response of railway track to high frequency longitudinal excitation, 97. The dynamic response of railway track to high frequency vertical excitaton, 77

HAMROCK, B. J. *Paper* Extension of the Patir–Cheng flow simulation of a rough surface to a compressible lubricant, 209
HARGREAVES, D. J. *Paper* An experimental and theoretical study of lubricant flow rate in static, grooved, rectangular thrust bearings, 21. *Research note* The determination of lubricant flow rate from a static, grooved, rectangular thrust bearing using a stream function analysis, 51
HARRELL, C. Y. *Research note* Dynamic stability of wave-convection transport, 225
HARRISON, D. *Paper* The dynamic response of railway track to high frequency vertical excitation, 77
HASHMI, M. S. J. *Paper* A novel technique of wire drawing, 1
HOLMES, R. *Paper* Investigation of a rotor bearing assembly incorporating a squeeze-film damper bearing, 129

ISHIGURO, S. *Paper* Transient extinction of counter flow diffusion flame, 113

JOHNSON, K. L. *Papers* The behaviour of railway wheelsets and track at high frequencies of excitaton, 103. The dynamic response of railway track to high frequency lateral excitation, 91. The dynamic response of railway track to high frequency longitudinal excitation, 97. The dynamic response of railway track to high frequency vertical excitaton, 77
JOHNSON, W. *Paper* The normal impact of square section long rods on 'rigid' and 'soft' targets, 31

KILIC, S. E. *Paper* The measurement of dynamic cutting force data and its application to the prediction of chatter, 139

MAJUMDAR, B. C. *Paper* Extension of the Patir–Cheng flow simulation of a rough surface bearing to a compressible lubricant, 209
MITCHELL, N. A. *Paper* The preliminary analysis of axial turbines by a simplified throughflow procedure, 5
MOSTOFI, A. *Paper* Oil film thickness and pressure distribution in elastohydrodynamic point contacts, 173

NEWLAND, D. E. *Paper* On the time-dependent spin creep of a railway wheel, 55
NEWTON, S. G. *Paper* An investigation into the dynamic effects of railway vehicles running on corrugated rails, 65

O'CALLAGHAN, P. W. *Paper* Minimizing the thermal resistance of pressed contacts, 183

PARVINMEHR, H. *Paper* A novel technique of wire drawing, 1
PEARSON, D. *Paper* The transfer matrix method for the vibration of compressed helical springs, 163
PRAKASH, J. *Papers* An analysis of the squeeze film between porous rectangular plates including the surface roughness effects, 45. Effect of surface roughness on the squeeze film between rotating porous annular discs, 155
PRASAD, K. R. *Paper* Non-Newtonian lubrication theory for rough surfaces: applicaton to rigid and elastic rollers, 147
PRIESTMAN, G. H. *Paper* Cavitaton in vortex diodes and its significance in diode pumps, 191
PROBERT, S. D. *Paper* Minimizing the thermal resistance of pressed contacts, 183

RAO, D. K. *Paper* Static deflections and stresses in sandwich beams under various boundary conditions, 11
REID, S. R. *Paper* The normal impact of square section long rods on 'rigid' and 'soft' targets, 31
RUDDY, A. V. *Paper* The prediction of film thickness in a mechanical face seal with circumferential waviness on both the face and the seat, 37

SAITOH, T. *Paper* Transient extinction of counter flow diffusion flame, 113
SEALE, W. J. *Paper* Turbulence generated secondary flows in ducts of non-circular cross-section, 119
SENGUPTA, A. K. *Paper* The normal impact of square section long rods on 'rigid' and 'soft' targets, 31
SHARMA, S. R. *Paper* Static deflections and stresses in sandwich beams under various boundary conditions, 11
SHUKLA, J. B. *Paper* Non-Newtonian lubrication theory for rough surfaces: application to rigid and elastic rollers, 147
SINGH, C. *Paper* Non-Newtonian lubrication theory for rough surfaces: application to rigid and elastic rollers, 147
SINHA, P. *Paper* Non-Newtonian lubrication theory for rough surfaces: application to rigid and elastic rollers, 147
SNAITH, B. *Paper* Minimizing the thermal resistance of pressed contacts, 183
SOROUR, M. M. *Paper* On the thermal and hydrodynamic stability of a fluid in a vertical slot, 199
SYMMONS, G. R. *Paper* A novel technique of wire drawing, 1

TAYLOR, C. M. *Papers* An experimental and theoretical study of lubricant flow rate in static, grooved, rectangular thrust bearings, 21. The prediction of film thickness in a mechanical face seal with circumferential waviness on both the face and the seat, 37. *Research note* The determination of lubricant flow rate from a static, grooved, rectangular thrust bearing using a stream function analysis, 51
TIPPETTS, J. R. *Paper* Cavitation in vortex diodes and its significance in diode pumps, 191
TIWARI, K. *Paper* An analysis of the squeeze film between porous rectangular plates including the surface roughness effect, 45
TIWARI, K. *Paper* Effect of surface roughness on the squeeze film between rotating porous annular discs, 155

WIGGLESWORTH, C. J. *Paper* The normal impact of square section long rods on 'rigid' and 'soft' targets, 31

Subject Index

ANALYSIS OF THE SQUEEZE FILM BETWEEN POROUS RECTANGULAR PLATES INCLUDING THE SURFACE ROUGHNESS EFFECTS, *Paper*, 45
Axial turbines, preliminary analysis of, 5

Beams, sandwich, static deflections and stresses in, 11
Beams, tapered, parametric instability of, 205
Bearing, rotor, investigation of, 129
Bearing, rough surface, 209
Bearing, thrust, stream function analysis of, 51
Bearings, thrust, lubricant flow rate in, 21
BEHAVIOUR OF RAILWAY WHEELSETS AND TRACK AT HIGH FREQUENCIES OF EXCITATION, *Paper*, 103

CAVITATION IN VORTEX DIODES AND ITS SIGNIFICANCE IN DIODE PUMPS, *Paper*, 191
Chatter, prediction of, and application of dynamic cutting force data to, 139
Compressible lubricant, 209
Computations, iterative two-fluid, 221
Contacts, elastohydrodynamic point, 173
Contacts, pressed, minimizing the thermal resistance of, 183
Corrugated rails, dynamic effects of railway vehicles on, 65
Counter flow diffusion flame, transient extinction of, 113

DETERMINATION OF LUBRICANT FLOW RATE FROM A STATIC, GROOVED, RECTANGULAR THRUST BEARING USING A STREAM FUNCTION ANALYSIS, *Research note*, 51
Diode pumps, 191
Diodes, vortex, cavitation in, 191
Discs, rotating porous annular, squeeze film between, 155
Ducts, turbulence generated secondary flows in, 119
Dynamic cutting force data and the prediction of chatter, 139
Dynamic effects of railway vehicles running on corrugated rails, 65
DYNAMIC RESPONSE OF RAILWAY TRACK TO HIGH FREQUENCY LATERAL EXCITATION, *Paper* 91
DYNAMIC RESPONSE OF RAILWAY TRACK TO HIGH FREQUENCY LONGITUDINAL EXCITATION, *Paper*, 97
DYNAMIC RESPONSE OF RAILWAY TRACK TO HIGH FREQUENCY VERTICAL EXCITATION, *Paper*, 77
Dynamic response of railway wheelsets and track at high frequencies of excitation, 103
DYNAMIC STABILITY OF WAVE-CONVECTION TRANSPORT, *Research note*, 225

EFFECT OF SURFACE ROUGHNESS ON THE SQUEEZE FILM BETWEEN ROTATING POROUS ANNULAR DISCS, *Paper*, 155
Elastohydrodynamic point contact problem, 173
EXPERIMENTAL AND THEORETICAL STUDY OF LUBRICANT FLOW RATE IN STATIC, GROOVED, RECTANGULAR THRUST BEARINGS, *Paper*, 21
EXTENSION OF THE PATIR–CHENG FLOW SIMULATION OF A ROUGH SURFACE BEARING TO A COMPRESSIBLE LUBRICANT, *Paper*, 209

Face seal, mechanical, film thickness in, 37
Film thickness in a mechanical face seal, 37
Flame, counter flow diffusion, 113
Flexible shafts, possibility of balancing rotating, 215
Fluid, stability of, in a vertical slot, 199

Helical springs, vibration of compressed, 163
High frequencies of excitation, behaviour of railway wheelsets and track at, 103
High frequency lateral excitation, dynamic response of railway track to, 91
High frequency longitudinal excitation, dynamic response of railway track to, 97
High frequency vertical excitation, dynamic response of railway track to, 77

Instability, parametric, of tapered beams, 205
INVESTIGATION INTO THE DYNAMIC EFFECTS OF RAILWAY VEHICLES RUNNING ON CORRUGATED RAILS, *Paper*, 65
INVESTIGATION OF A ROTOR BEARING ASSEMBLY INCORPORATING A SQUEEZE-FILM DAMPER BEARING, *Paper*, 129
Iterative two-fluid computations, 221

Long rods, square section, normal impact of, 31
Lubricant flow rate in static, grooved, rectangular thrust bearin 21
Lubrication theory for rough surfaces: applied to rigid and elas rollers, 147

MEASUREMENT OF DYNAMIC CUTTING FORCE DAT AND ITS APPLICATION TO THE PREDICTION OF CHATTER, *Paper*, 139
Mechanical face seal, film thickness in, 37
METHOD OF LIMITING INTERMEDIATE VALUES OF VOLUME FRACTION IN ITERATIVE TWO-FLUID COMPUTATIONS, *Research note*, 221
MINIMIZING THE THERMAL RESISTANCE OF PRESSE CONTACTS, *Paper*, 183

NON-NEWTONIAN LUBRICATION THEORY FOR ROUC SURFACES: APPLICATION TO RIGID AND ELASTIC ROLLERS, *Paper*, 147
NORMAL IMPACT OF SQUARE SECTION LONG RODS ON 'RIGID' AND 'SOFT' Targets, *Paper*, 31
NOVEL TECHNIQUE OF WIRE DRAWING, *Paper*, 1

OIL FILM THICKNESS AND PRESSURE DISTRIBUTION IN ELASTOHYDRODYNAMIC POINT CONTACTS, *Paper*, 173
ON THE POSSIBILITY OF BALANCING ROTATING FLEXIBLE SHAFTS, *Paper*, 215
ON THE THERMAL AND HYDRODYNAMIC STABILITY OF A FLUID IN A VERTICAL SLOT, *Paper*, 199
ON THE TIME-DEPENDENT SPIN CREEP OF A RAILWA WHEEL, *Paper*, 55

PARAMETRIC INSTABILITY OF TAPERED BEAMS BY FINITE ELEMENT METHOD, *Paper*, 205
Patir–Cheng flow simulation, extension of, 209
Porous rectangular plates, analysis of the squeeze film between, 4
PREDICTION OF FILM THICKNESS IN A MECHANICAL FACE SEAL WITH CIRCUMFERENTIAL WAVINESS ON BOTH THE FACE AND THE SEAT, *Paper*, 37
PRELIMINARY ANALYSIS OF AXIAL TURBINES BY A SIMPLIFIED THROUGHFLOW PROCEDURE, *Paper*, 5
Pressed contacts, minimizing the thermal resistance of, 183
Pumps, diode, 191

Rails, corrugated, dynamic effects of railway vehicles on, 65
Railway track, dynamic response to high frequency lateral excitation, 91
Railway track, dynamic response to high frequency longitudinal excitation, 97
Railway track, dynamic response to high frequency vertical excitation, 77
Railway vehicles, dynamic effects of running on corrugated rails, 6
Railway wheel, time-dependent spin creep of, 55
Railway wheelsets and track at high frequencies of excitation, 103
Rectangular plates, porous, analysis of the squeeze film between, 4
Rollers, rigid and elastic, non-Newtonian lubrication theory applied to, 147
Rotating flexible shafts, possibility of balancing, 215
Rotating porous annular discs, squeeze film between, 155
Rotor bearing assembly incorporating a squeeze film damper bearing, 129

Sandwich beams, static deflections and stresses, 11
Secondary flows in ducts: turbulence generated, 119
Shafts, flexible, balancing rotating, 215
Slot, vertical, stability of fluid in, 199
Spin creep of railway wheel, 55
Springs, helical, vibration of compressed, 163
Square section long rods, normal impact of on 'rigid' and 'soft' targets, 31
Squeeze film between porous rectangular plates, 45
Squeeze film between rotating discs, 155
Squeeze film damper bearing in a rotor bearing assembly, 129
STATIC DEFLECTIONS AND STRESSES IN SANDWICH BEAMS UNDER VARIOUS BOUNDARY CONDITIONS, *Paper*, 11
Stream function analysis of a static, grooved, rectangular thrust bearing, 51
Surface roughness, effect on squeeze film between rotating discs, 155
Surfaces, rough, non-Newtonian lubrication theory for, 147

Tapered beams, parametric instability of, 205
THERMAL AND HYDRODYNAMIC STABILITY OF A FLUID IN A VERTICAL SLOT, *Paper*, 199
Thrust bearing, stream function analysis of, 51
Thrust bearings, lubricant flow rate in, 21
TIME-DEPENDENT SPIN CREEP OF A RAILWAY WHEEL, *Paper*, 55
Trains, dynamic effects of running on corrugated rails, 65
TRANSFER MATRIX METHOD FOR THE VIBRATION OF COMPRESSED HELICAL SPRINGS, *Paper*, 163
TRANSIENT EXTINCTION OF COUNTER FLOW DIFFUSION FLAME, *Paper*, 113
Transport, wave-convection, dynamic stability of, 225
Turbines, axial, analysis of, by throughflow procedure, 5
TURBULENCE GENERATED SECONDARY FLOWS IN DUCTS OF NON-CIRCULAR CROSS-SECTION, *Paper*, 119
Two-fluid computations, 221

Vertical slot, stability of fluid in, 199
Vibration of compressed helical springs, 163
Vibration tests on rotor-bearing assembly, 129
Volume fraction, method of limiting intermediate values, 221
Vortex diodes, cavitation in, 191

Wave-convection transport, dynamic stability of, 225
Wheel, railway, time-dependent spin creep of, 55
Wire drawing, novel technique of, 1